



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on April 20, 2016.

Galvotec Alloys, Inc.
6712 S. 36th Street
McAllen, TX 78503
956-630-3500

Facility: McAllen, TX

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Sacrificial Anodes [3]			
GA-S-5 [1] [2] [4]	1.4" x 1.4" x 9"	CLD 23	MLTPL
GA-S-12 [1] [2] [4]	1.4" x 1.4" x 24"	CLD 23	MLTPL
GA-S-15 [1] [2] [4]	2" x 2" x 15"	CLD 23	MLTPL
GA-S-18 [1] [2] [4]	1.4" x 1.4" x 36"	CLD 23	MLTPL
GA-S-30 [1] [2] [4]	1.4" x 1.4" x 60"	CLD 23	MLTPL
GA-S-30A [1] [2] [4]	2" x 2" x 30"	CLD 23	MLTPL
GA-S-45 [1] [2] [4]	2" x 2" x 45"	CLD 23	MLTPL
GA-S-60 [1] [2] [4]	2" x 2" x 60"	CLD 23	MLTPL
GA-TZ-27 [1] [2] [4]	1.4" x 1.4" x 60"	CLD 23	MLTPL
GA-TZ-50 [1] [2] [4]	2" x 2" x 60"	CLD 23	MLTPL
GA-TZ-60 [1] [2] [4]	2" x 2" x 60"	CLD 23	MLTPL
GA-TZ-70 [1] [2] [4]	2.5" x 2.5" x 60"	CLD 23	MLTPL
GA-TZB-27 [1] [2] [4]	1.4" x 1.4" x 48"	CLD 23	MLTPL
GA-TZ-100 [1] [2] [4]	2.5" x 2.5" x 72"	CLD 23	MLTPL
GA-TZB-50 [1] [2] [4]	2" x 2" x 48"	CLD 23	MLTPL
GA-TZB-60 [1] [2] [4]	2" x 2" x 60"	CLD 23	MLTPL
GA-TZB-70 [1] [2] [4]	2.5" x 2.5" x 48"	CLD 23	MLTPL
GA-TZB-100 [1] [2] [4]	2.5" x 2.5" x 60"	CLD 23	MLTPL
GA-TZW-27 [1] [2] [4]	1.4" x 1.4" x 69"	CLD 23	MLTPL
GA-TZW-50 [1] [2] [4]	2" x 2" x 69"	CLD 23	MLTPL
GA-TZW-60 [1] [2] [4]	2" x 2" x 81"	CLD 23	MLTPL
GA-TZW-70 [1] [2] [4]	2.5" x 2.5" x 69"	CLD 23	MLTPL
GA-TZW-100 [1] [2] [4]	2.5" x 2.5" x 81"	CLD 23	MLTPL
GA-ZEP (GA-2) [1] [2] [4]	2"	CLD 23	MLTPL
GA-ZEP (GA-3) [1] [2] [4]	3"	CLD 23	MLTPL
GA-ZEP (GA-4) [1] [2] [4]	4"	CLD 23	MLTPL
GA-ZEP (GA-5) [1] [2] [4]	5"	CLD 23	MLTPL
GA-ZEP (GA-11) [1] [2] [4]	11"	CLD 23	MLTPL
GA-ZEP (GA-15) [1] [2] [4]	15"	CLD 23	MLTPL
Galvotec SuperROD GA-MG-R1.050 [3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R1.315 [3] [5]	5 - 300 gal.	D. HOT	MLTPL

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Galvotec SuperROD GA-MG-R1.561	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R2.024	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R2.562	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R500	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R625	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R675	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R700	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R750	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R800	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R840	[3] [5]	5 - 300 gal.	D. HOT	MLTPL
Galvotec SuperROD GA-MG-R900	[3] [5]	5 - 300 gal.	D. HOT	MLTPL

[1] Size for GA-S, GA-TZ, GA-TZB, and GA-TZW is Width x Height x Length. Size for GA-ZEP is diameter.

[2] Certified for use in water storage tanks 100 gallons and greater.

[3] The anodes have been evaluated for the following end configurations:

1) Anode Outlet Devices (AOD), size refers to length of AOD:

- 2" regular
- 2 1/2" regular
- 3" regular
- 4" regular
- 2" heat trap
- 2 1/2" heat trap
- 3" heat trap
- 4" heat trap
- 2" heat trap w/dope
- 2 1/2" heat trap w/dope
- 3" heat trap w/dope
- 4" heat trap w/dope

2) Threaded Steel Caps (12L14, 1215, Q235A)

[4] The anode material is zinc.

[5] The anode material is extruded magnesium.